

600x600mm & 300x600mm
COLLECTION - 2019





PROZZO

600x600mm & 300x600mm
COLLECTION - 2019


LUXURY MADE AFFORDABLE FOR MODERN SPACES .

The GVT revolution has changed the market composition hugely, whether to be used for walls or for floors these tiles are used extensively in all modern houses and projects in present times.

Naturally, for a mass consumption category, cost effectiveness becomes extremely important.

Sharing the benefits of our lean manufacturing practices Prozzo collection brings best aesthetics, durability and strength of vitrified tiles for all your surface covering needs without any compromise yet very affordable. The contemporary trends in colours, off white, beige, brown, white, grey and black in designs ranging from Marbles, to wood, to soft subtle lines, in Matt and Glossy finishes and eve

surfaces




Glossy




Matt

THICKNESS : 9 mm



600x1200mm



600x600mm



300x600mm


size



Glazed Vitrified Tiles

A highly versatile choice, suitable for all possible living spaces, lends a technical characteristics which makes it an unbeatable choice, uniting design appeal and a high resistance in one same product.

GVT &
PGVT
TILES




CARRARA VENTO




ICE DINOVA



CREMA DINOVA



6000



6039

size
600x600mm

**Prozzo
collection**



6001




6002



6003



6004



6005



6006



6007



6008

Glazed Vitrified Tiles
_Size : 600x600mm

SURFACES:
Glossy

THICKNESS:
9 mm



6009



6010



6011



6012



6013



6014




6015




6016

Glazed Vitrified Tiles
_Size : 600x600mm



SURFACES:
Glossy

THICKNESS:
9 mm



6017



6018



6019



6020

Glazed Vitrified Tiles
_Size : 600x600mm



6021




6022



6023




6024



6025



6026



Glazed Vitrified Tiles
_Size : 600x600mm



6027



6028

SURFACES:
Glossy

THICKNESS:
9 mm



6029



6030



6031



6032



6033



6034



6035



6036



6037




6038



Glazed Vitrified Tiles
_Size : 600x600mm



Prozzo collection



7001



7002




SURFACES:
Glossy

THICKNESS:
9 mm




7003

Glazed Vitrified Tiles
_Size : 600x600mm



7004

size  600x600mm




7006

SURFACES:
Glossy

THICKNESS:
9 mm



7005



7007

Glazed Vitrified Tiles
_Size : 600x600mm

SURFACES:
Glossy

THICKNESS:
9 mm

size 
600x600mm

**Prozzo
collection**



8001



8002




8003




8004



8005



8006



8007

SURFACES:
Matt

THICKNESS:
9 mm



8008



8009

Glazed Vitrified Tiles
_Size : 600x600mm



8010



8011



8012



8013



8014



8015

size 
600x600mm



Prozzo collection



8016



8017



8018




8019

SURFACES:
Matt


THICKNESS:
9 mm




**Prozzo
collection**




9000



9039



9001




9002



9003



9004




9005




9006



9007



9008



9009



9010


SURFACES:
Glossy

THICKNESS:
9 mm




CARRARA VENTO


Glazed Vitrified Tiles
_Size : 300x600mm



ICE DINOVA



CREMA DINOVA





9011



9012

Glazed Vitrified Tiles
_Size : 300x600mm



9013




9014




9015



9016




9017



9018




9019





9020



9021




9022




9023



9024



9025



9026

SURFACES:
Glossy

THICKNESS:
9 mm

Prozzo collection



9027



9028


Glazed Vitrified Tiles
_Size : 300x600mm




9029



9030




9031



9032



9033



9034




9035




9036

SURFACES:
Glossy

THICKNESS:
9 mm



Prozzo collection



10001




10002



10003




10004




10005



10006



10007




10008



10009



10010



10011

SURFACES:
Matt

THICKNESS:
9 mm




10012



10013

Glazed Vitrified Tiles
_Size : 300x600mm



10014




10015



10016



10017



Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP B Ia IS-15622:2017		TEST METHOD
Regulatory Properties			
Deviation In Length & Width	± 0.50%	± 0.10%	ISO-10545-2
Deviation In Thickness	± 5.00%	± 4.00%	ISO-10545-2
Straightness Of Sides	± 0.50%	± 0.10%	ISO-10545-2
Rectangularity	± 0.50%	± 0.10%	ISO-10545-2
Surface Flatness	± 0.50%	± 0.20%	ISO-10545-2
Color Differences	Unaltered	No Change	ISO-10545-16
Glossiness	As Per Mfg.	min.4 %	Glossometer
Structural Properties			
Water Absorption	≤ 0.50%	≤ 0.20%	ISO-10545-3
Apparent Density	> 2.00 g/cc	> 2.10 g/cc	DIN 51082
Massive Mechanical Properties			
Modulus of Rupture	Min 35N/mm ²	Min. 40N/mm ²	ISO-10545-4
Breaking Strength (≥ 7.5mm)	Min. 1300 N	Min. 2000 N	ISO-10545-4
Breaking Strength (< 7.5mm)	Min. 700 N	Min. 900 N	ISO-10545-4
Impact Resistance	As Per Mfg.	Min. 0.55	ISO-10545-5
Surface Mechanical Properties			
Surface Abrasion Resistance	As Per Mfg.	Min. Class - 3	ISO-10545-7
Moh's Hardness	As Per Mfg.	Min. 4	EN 101
Thermo Hygrometric Properties			
Frost Resistance	No Damage	No Damage	ISO-10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO-10545-9
Moisture Expansion	Nil	Nil	ISO-10545-10
Thermal Expansion(COE)	Max. 6x10 ⁻⁶	Max. 6x10 ⁻⁶	ISO-10545-8
Crazing Resistance	As Per Mfg.	Max. 4 Cycle	ISO-10545-11
Chemical Properties			
Chemical Resistance	No Damage	No Damage	ISO-10545-13
Stain Resistance	Resistant	Resistant	ISO-10545-14
Safety Properties			
Slip Resistance	As Per Mfg.	> 0.40	ISO-10545-17
Fire Resistance	As Per Mfg.	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	As Per Mfg.	Does Not Yield Pb & Cd	ISO-10545-15

* Except Hydrofluoric Acid & it's compound

Packing Details

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX
	600x600mm	9mm	4 pcs.	1.44 sq. mtr.
	300x600mm	9mm	5 pcs.	0.90 sq. mtr.